

**APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA**

JUN 6 1973

Date of filing in State Engineer's Office.....

Returned to applicant for correction.....

Corrected application filed.....

Map filed..... **JUN 15 1973**

The applicant..... Eleanor S. Lamb
of..... 7075 Craig Road Las Vegas....., County of.....
State of..... Nevada....., hereby make..s application for permission to appropriate the public
waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorpora-
tion; if a copartnership or association, give names of members.).....

1. The source of the proposed appropriation is..... Underground, Las Vegas Artesian
..... Basin......
Name of stream, lake or other source.
2. The amount of water applied for is..... 0.10.....second-feet
One second-foot equals 448.83 gals. per min.
(a) If stored in reservoir give number of acre-feet..... None.....acre-feet
3. The water to be used for..... Quasi-municipal and Domestic (two residences)
Irrigation, power, mining, manufacturing, domestic, or other use.
4. If use is for:
 - (a) Irrigation (state number of acres to be irrigated).....
 - (b) Stockwater (state number and kinds of animals to be watered).....
 - (c) Other use (describe fully under "No. 12. Remarks").....
 - (d) Power:
 - (1) Horsepower developed.....
 - (2) Point of return of water to stream.....
5. The water is to be diverted from its source at the following point: within the NW¼ of the SE¼
of Section 3, Twp. 20 South, Range 60 East, M.D.M., from which the
Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land,
center ¼ corner bears N 64° 00' 15" W, a distance of 810.94 feet.
It should be stated.
6. Place of use..... The N½ of the W½ of the E½ of the NW¼ of the SE¼ of
Describe by legal subdivision, if on unsurveyed land it should be so stated.
Section 3, Twp. 20 South, Range 60 East, M.D.M. Nevada
7. Use will begin about..... January 1st.....and end about December 31st....., of each year.
Month Month
8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and
specifications of your diversion or storage works.) Existing 8" round well, 350 feet
deep, cased full depth. Distribution by pressure tank and pipe
State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.
lines for two residences.

9. Estimated cost of works.....
10. Estimated time required to construct works..... Two Years
11. Estimated time required to complete the application to beneficial use.....
12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

Applicant.....s/ Eleanor S. Lamb

By James V. Olm, Cert. No. 323
3001 Contract Ave.
Las Vegas, Nevada, 89101

Compared..... 1k/ga..... 1k/ga

APPROVAL.....OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: This permit is issued subject to existing rights and is further subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water. A totalizing meter must be installed in the discharge pipe line, near the point of diversion, and accurate measurements must be kept of water placed to beneficial use. It is understood that this right must allow for a reasonable lowering of the static water level. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.10 cubic feet per second, but not to exceed .73 million gallons annually.

Actual construction work shall begin on or before..... January 1, 1974

Proof of commencement of work shall be filed before..... February 1, 1974

Work must be prosecuted with reasonable diligence and be completed on or before..... January 1, 1974

Proof of completion of work shall be filed before..... February 1, 1974

Application of water to beneficial use shall be made on or before..... January 1, 1976

Proof of the application of water to beneficial use shall be filed on or before..... February 1, 1976

Map in support of proof of beneficial use shall be filed on or before.....

Commencement of work filed..... JAN 11 1974
Completion of work filed..... JAN 11 1974
Proof of beneficial use filed..... JAN 11 1974
Cultural map filed.....
Certificate No..... Issued.....
Recorded..... Bk..... Page.....
..... County Recorder

IN TESTIMONY WHEREOF, I ROLAND D. WESTERGARD
State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 1st day of November

A.D. 19 73

Roland D. Westergard
State Engineer